



zamki




nr kat.
opis

63.200
zamek hakowy 60 z blachą czołową




63.202
obudowa zamka 63.200 L=40

63.203
obudowa zamka 63.200 L=50




nr kat.
opis

63.204
zamek hakowy 40 z blachą czołową




63.205
zamek hakowy 30 z blachą czołową




nr kat.
opis

63.207
zamek wąski 20

rozmiary
A 20,0 B 33,5




63.208
zamek wąski 20 na klamkę



nr kat.
opis

63.209
zamek hakowy wzmacniony 21



63.211
H 220 mm



nr kat.
H [mm]

63.212
220



63.213
140



63.214
140



63.215
100



nr kat.
H (mm)
L (mm)
opis

63.220
245
50 x 30



63.220.11
245
50 x 30
63.220 + 63.211




63.220.12
245
50 x 30
63.220 + 63.212



nr kat.	63.221	63.221.13	63.221.14	63.222	63.222.11	63.222.12
H (mm)	165	165	165	245	245	245
L (mm)	50 x 30	50 x 30	50 x 30	60 x 40	60 x 40	60 x 40
opis		63.223 + 63.213	63.223 + 63.214		63.222 + 63.211	63.222 + 63.212



nr kat.	63.223	63.223.13	63.223.14	63.225
H (mm)	165	165	165	200
L (mm)	60 x 40	60 x 40	60 x 40	40
opis		63.223 + 63.213	63.223 + 63.214	



nr kat.	63.330	63.330.01	63.330.02	63.331
opis	elektrozaczep - 12 AC	blacha czołowa elektrozaczepu		H 280 mm

wkładki



nr kat.	63.300.01	63.300.07	63.300.12	63.301.01	63.301.02	63.301.05
opis	wkładka patentowa	wkładka patentowa	wkładka patentowa	wkładka FC	wkładka FC, nikiel	wkładka FC
wymiary (mm)	30 x 30	35 x 35	40 x 40	27 x 27	27 x 27	30 x 30



nr kat.	63.301.06	63.301.11	63.301.12	63.301.19	63.301.20
opis	wkładka FC, nikiel	wkładka FC	wkładka FC, nikiel	wkładka FC	wkładka FC, nikiel
wymiary (mm)	30 x 30	35 x 35	35 x 35	40 x 40	40 x 40

mocowania




nr kat.	64.001	64.002	64.010	64.011	64.012
H (mm)	130	180	420	180	180
L (mm)	60	80	210	95	95
baza (mm)			□20	□12	□12
grubość (mm)	10	10			

nity




nr kat.	64.020	64.021	64.022	64.023
Ø (mm)	6	6	6	10
wymiary (mm)	H 40 x Ø 19	H 25 x Ø 25	H 36 x Ø 18	H 32 x Ø 21



łańcuchy ozdobne

					
nr kat.	64.031	nr kat.	64.032	nr kat.	64.033
H (mm)	2000	H (mm)	2000	H (mm)	2000
przekrój (mm)	6x6	przekrój (mm)	6x6	przekrój (mm)	6x6

zasuwki i rygle

					
nr kat.	64.050	nr kat.	64.051	nr kat.	64.052
wymiary (mm)	L 150	wymiary (mm)	L 270	wymiary (mm)	L 340
Ø (mm)	12	Ø (mm)	16	Ø (mm)	16

							
nr kat.	64.053	nr kat.	64.054	nr kat.	64.055	nr kat.	64.060
wymiary (mm)	L 340	wymiary (mm)	L 340	wymiary (mm)	L 210	wymiary (mm)	L 220
Ø (mm)	16	Ø (mm)	16 ocynkowana	Ø (mm)	14	Ø (mm)	12

					
nr kat.	64.063	nr kat.	64.064	nr kat.	64.065
wymiary (mm)	L 420	wymiary (mm)	L 420	wymiary (mm)	L 800
Ø (mm)	14	Ø (mm)	14 ocynkowany	Ø (mm)	14

cyfry i litery



nr kat.	64.100	64.101	64.102	64.103	64.104	64.105	64.106
H (mm)	120	120	120	120	120	120	120
nr kat.	64.100.01	64.101.01	64.102.01	64.103.01	64.104.01	64.105.01	64.106.01
H (mm)	170 NOWOŚĆ	170 NOWOŚĆ	170 NOWOŚĆ	170 NOWOŚĆ	170 NOWOŚĆ	170 NOWOŚĆ	170 NOWOŚĆ



nr kat.	64.107	64.108	64.109	64.110	64.111	64.112	64.113
H (mm)	120	120	120	120	120	120	120
nr kat.	64.107.01	64.108.01	64.109.01				
H (mm)	170 NOWOŚĆ	170 NOWOŚĆ	170 NOWOŚĆ				



	NOWOŚĆ	NOWOŚĆ	NOWOŚĆ	NOWOŚĆ
nr kat.	64.110.01	64.111.01	64.112.01	64.113.01
H (mm)	170	170	170	170



NOWOŚĆ
nr kat. **64.501**
wymiary szyldu (mm) 130x115



NOWOŚĆ
nr kat. **64.502**
wymiary szyldu (mm) 130x115



NOWOŚĆ
nr kat. **64.503**
wymiary szyldu (mm) 155x140